

1905

1905

April 20<sup>th</sup> - 24<sup>th</sup>; Builth Wells, etc. cont.

<sup>3</sup> Woodlark — nest, 4 large young, on a field sloping gently in a S.S.W. direction, studded slightly with a little dead bracken; in a field about  $1\frac{1}{2}$  miles from Builth Wells on the Garth road, on the left hand side opposite a clump of larch. Both birds were round the nest, but made no noise except a small chirp.

<sup>4</sup> Carrion Crow — nests abundant; saw some very fine eggs, nearly hatching.

<sup>5</sup> Goldcrest — nest at Newbridge, 7 eggs.

Kite — saw eyrie, tenanted in 1903, in a huge oak in valley above Llanfihangel, an enormous nest, about 5 ft. in height, about 40 ft. from the ground.

Saw also Pied Flycatchers, Curlews, Tawny Owls etc.

The days were spent as follows:-

April 20<sup>th</sup> 5-7 pm. n<sup>e</sup> Builth Wells.

" 21<sup>st</sup> Builth Wells to Llanfihangel etc.

" 22<sup>nd</sup> Llanwrtyd Wells up Abergwesin and Trifon Valleys. (Excellent ground)

" 23<sup>rd</sup> Erwood to Llangammarch Wells via Capel Dyfrin. (lon country)

" 24<sup>th</sup> Newbridge to Rhayader, via Llanfihangel.

1905

April 30<sup>th</sup> ; Abergwesin - Builth

1905

C.S.M.

<sup>1</sup> Raven<sup>2</sup> Buzzard<sup>3</sup> Grey Wagtail

Travelled from London to Llanwrtyd Wells by 1.30, & stayed the night at the 'Grouse' Inn, Abergwesin. On 30<sup>th</sup> examined Yrfon and Abergwesin valleys, & walked to Builth to catch 6.32 p.m. back to town. Rained all day.

<sup>1</sup> Same nest referred to before, found on 22<sup>nd</sup>; went down in hopes of a good clutch, but the nest contained one young one; the second egg had vanished.

<sup>2</sup> Nest, 2 eggs, on the side of a small ravine, half way to Abergwesin from Llanwrtyd on the left, facing South.

<sup>3</sup> Nest 5 eggs on the side of railway cutting, about 1 mile from Builth Road.

Kite - nest reported to me 2½ miles up the R. Yrfon from Llangamarch Wells, sitting at the time; I heard subsequently that this nest was robbed.



Yrfon (Irfon) Valley, Abergwesyn.

Site for Buzzard & Raven.

1905

May 20<sup>th</sup> - 22<sup>nd</sup>; Thetford

- <sup>1</sup> Stone Curlew
- Redshank
- Plover
- <sup>2</sup> Yellow Wagtail
- <sup>3</sup> Snipe
- <sup>4</sup> Wryneck
- <sup>4</sup> Green Woodpecker
- <sup>4</sup> Coal Tit
- <sup>5</sup> Tree Sparrow
- Lesser Redpoll
- Wheatear
- Whinchat
- Stonechat
- Marsh Tit
- Goldcrest
- Sedge Warbler
- <sup>6</sup> Corn Bunting
- Reed Bunting
- Meadow Pipit
- Sky-Lark

<sup>1</sup> Gilroy found 2 nests, and keepers pointed out 9 more. About 100 pairs seen.

<sup>2</sup> Abundant, and in the tufts in the grass fields not difficult to find. Many nests found.

<sup>3</sup> One nest found by each.

<sup>4</sup> Found by Gilroy

<sup>5</sup> Abundant.

<sup>6</sup> Nest, 1 egg.

Gadwall — Several pairs seen, but no nests found.

1905

{ H. Gilroy  
S. Boorman.  
D.H.K.

1905

May 25<sup>th</sup>-28<sup>th</sup>; Llanarmon.

1905

C.S.H.

- <sup>1</sup> Merlin
- <sup>2</sup> Raven
- Kestrel
- <sup>3</sup> Barn Owl
- <sup>4</sup> Grey Wagtail
- <sup>5</sup> Sandpiper
- Wood Wren
- Lesser Redpoll
- Dipper
- <sup>6</sup> Sand Martin
- <sup>7</sup> Robin

Walked from Chirk to Llanarmon along the valley of the Ceiriog on 25<sup>th</sup>; spent 26<sup>th</sup> & 27<sup>th</sup> on the moors, and returned along the Ceiriog on 28<sup>th</sup>.

- <sup>1</sup> Nest 4 eggs; both birds in great evidence; the nest was on the top of the 'Home Moor'; in fairly low heather on a small ridge.
- <sup>2</sup> Nest, 3 young just ready to fly, on rocks above the falls of the Ceiriog.
- <sup>3</sup> Nest 8 eggs, -1 sat, 3 just showing slight signs of incubation, and 4 quite fresh, in an oak, about 2 ft. from the ground; two birds flew from the nesting hole.
- <sup>4</sup> Nest, 5 eggs, fresh, 3 miles from Chirk.
- <sup>5</sup> Nest, 4 eggs, 2<sup>nd</sup> Glyn; also a brood of young.
- <sup>6</sup> One nest contained 6 eggs.
- <sup>7</sup> Nest 8 eggs, very hard sat, Llanarmon.

1905

1905

May 20<sup>th</sup>-24<sup>th</sup>, 29<sup>th</sup> - June 11<sup>th</sup> ; Clive. C.S.M.

- <sup>1</sup> Goldfinch
- Lesser Redpoll
- Reed Warbler
- Sedge Warbler
- <sup>2</sup> Lesser Whitethroat
- Wood Wren
- <sup>3</sup> Barn Owl
- Sparrow Hawk
- <sup>4</sup> Kestrel
- Swift
- <sup>5</sup> Coal Tit
- Reed Bunting
- Turtle Dove
- <sup>6</sup> Little Grebe
- Coot

<sup>1</sup> Found a large number of nests in all stages, from young ready to fly, half sat and fresh eggs, to nests building; chiefly round Myddle, and Welshampton; in oak, apple, and damson trees, also pear, and one in a tall hedge.

<sup>2</sup> 4 eggs, June 6<sup>th</sup>.

<sup>3</sup> Nest at Palms Hill; 5 young in different stages.

<sup>4</sup> 5 very fine eggs, Tilley; broken descending from the tree.

<sup>5</sup> Nest and young in the Quarry, May 22<sup>nd</sup>.

<sup>6</sup> Young at Hawkeston; nest 3 eggs & 1 young bird just hatched, May 22<sup>nd</sup>; Battlefield.

1905

May 22<sup>nd</sup> ; Leebotwood - Condover. C.S.M.

1905

<sup>1</sup> Sandpiper

<sup>2</sup> Kingfisher

Dipper

Sand Martin

<sup>1</sup> Two nests, 4 eggs each, one fresh, the other very hard sat.

<sup>2</sup> Nest with well grown young, 1 mile from Condover.

July 8<sup>th</sup> - 9<sup>th</sup> ; Seaford

Corn Bunting

Ringed Plover

Stonechat

Linnet.

{ H. G.  
D.H.M.  
C.S.M.

July 22<sup>nd</sup> - 23<sup>rd</sup> ; Newbury

<sup>1</sup> Nightjar

<sup>2</sup> Cirl Bunting

<sup>3</sup> Green Woodpecker

Stonechat

Red-backed Shrike

<sup>4</sup> Pied Wagtail

{ H. G.  
C.S.M.

<sup>1</sup> Abundant - 2 lots of fresh eggs and one hard sat found, & several pairs of young.

<sup>2</sup> Found by H.G. in gorse amid brake-fern, about 1½ ft. from ground, with 3 young about a week old

<sup>3</sup> Young birds.

1905

March - July ; Warley.

' Lesser Spotted Woodpecker

2 Tawny Owl

3 Yellow Owl

4 2 Cuckoo's eggs

5 Kingfisher

Sparrow Hawk

8 Carrion Crow

6 Redstart

8 Nightingale

Garden Warbler

Whitethroat

Goldcrest

Willow Wren

7 Tree Pipit

Pied Wagtail

Bullfinch

Great Tit

Blue Tit

Long-tailed Tit etc.

1 Hole in an old dead stump at Childerditch well advanced on May 16<sup>th</sup>; cut out on May 24<sup>th</sup>, when there were only 2 eggs.

2 Nest, 3 eggs, fresh, April 1<sup>st</sup>.

3 Young at Swallows Cross, May 14<sup>th</sup>.

4 In Robin with 5 and Yellow Hammer with 4 respectively. Both on May 27<sup>th</sup>.

5 Young found dead in nest, <sup>at Hutton</sup> May 1<sup>st</sup>, due to floods.

6 Nest, 7 eggs, May 19<sup>th</sup>.

7 Clutch 6, deep red variety.

8 Abundant; several nests taken.

Red Backed Shrike - very scarce this season.

1905

{ D.H.M.

{ C.H.M.

1905

1905

Summary.

Buzzard  
 Peregrine  
 Merlin  
 Raven  
 Woodlark  
 Dartford Warbler  
 Cirl Bunting  
 Lesser Spotted Woodpecker  
 Stone Curlew  
 Snipe  
 Sandpiper  
 Redshank  
 Ringed Plover  
 2 Cuckoo's eggs  
 Goldfinch  
 Lesser Redpoll  
 Tawny Owl  
 Barn Owl  
 Yellow Wagtail  
 Grey Wagtail  
 Lesser Whitethroat  
 Wood Wren  
 Nightjar  
 Little Grebe  
 Corn Bunting  
 Wheatear  
 Whinchat  
 Stonechat  
 Tree Sparrow  
 Dipper  
 Tree Pipit  
 Nightingale etc.

1906

February 28<sup>th</sup>; Richmond Park  
Heron

Alec. Jones and C.S.H. each took  
a clutch 4, incubated.  
several lots of 3 were found.

1906

H. Gilroy
Alec. Jones
S. Jones
W. Renant
J. Sargeant
D.H.M.
C.S.H.

March 3<sup>rd</sup> and 8<sup>th</sup>; Wanstead Park

Heron

C.S.H. took cl. 4 on 3<sup>rd</sup>.  
D.H.M. & C.S.H. took cl. 4 each on 8<sup>th</sup>.  
several other lots of 3 were  
found, and young heard  
in the nests.

H. G. Mar. 8 <sup>th</sup>
Alec. Jones 8 <sup>th</sup>
W. Renant 8 <sup>th</sup>
D.H.M. 8 <sup>th</sup>
C.S.H. 3 <sup>rd</sup> , 8 <sup>th</sup>

March 19<sup>th</sup>; Richmond Park

Heron

H. G., W. R., D.H.M., C.S.H., each secured  
cl. 4, C.S.H. two 4s.  
Alec. & Stewart Jones each took  
cl. 5 from chestnuts, both  
of which had one egg  
broken descending the tree.

H. G.
Alec. Jones
S. Jones
W. Renant
D.H.M.
C.S.H.

March 21<sup>st</sup>; Wanstead Park

Heron.

J. B. Smith took cl. 4; many  
young heard in the nests.

J. B. Smith
C.S.H.

1906

1906

March 10<sup>th</sup>; Llanarmon & Llanrhaiadr.

(Raven)    { Arthur Wood  
Motored from Shrewsbury    { D.H.M.  
  { C.Th.  
To the above places.  
No sign of Raven at  
Llanarmon. A pair seen on  
the rocks round Pistyll Rhaiadr,  
undoubtedly with eggs, but  
mountain mists and approach  
of darkness prevented any  
success. A pair of Peregrines on the rock.

March 18<sup>th</sup>; Falmer    { N.G.; H.J. Messent  
Long-eared Owl    { D.H.M.

In the woods round  
Stanmer Park, 3 nests  
with 2 eggs each were found.

March 25<sup>th</sup>; Falmer    { D.H.M.; H.J. Messent  
Long-eared Owl    { C.Th.

Revisited the three nests  
of 18<sup>th</sup>, which contained 2. 2. 4, respectively,  
birds being again flushed from  
each. Messent left at 2.30; we  
then searched the two Newmarket  
Woods, and D.H.M. flushed a  
bird off 5 eggs in the Upper  
Newmarket Wood, nearly fresh. All  
the birds sat very tightly.

Messent took cl. 5, Rook.

1906

1906

March 31<sup>st</sup> - April 1<sup>st</sup> ; Seaford.

'Peregrine

2 Rook

{ N.G.

C.S.M.

- <sup>1</sup> Put the "Belle Toute" and "Inaccessible" birds off their eyries; both were much overhung, and a long way down, and all hope of reaching them was abandoned.
- <sup>2</sup> Young and eggs at Bishopstone rookery.  
Stonechat - one nest, just commencing, found.

April 5<sup>th</sup> ; Warley.

Rook.

Two clutches of 5 taken from  
Thorndon Park.

{ N.G.

D.H.M.

C.S.M.

April 7<sup>th</sup> - 8<sup>th</sup> ; Seaford.

Peregrine

H.G.; J.A.W.B.; D.H.M. started from

Seaford at 4 a.m. Saturday and took the 'Telscombe fair' - D.H.M. descended, c. 3 - and the

'Newhaven fair' - J.A.W.B. and H.G. descended, c. 4 - before breakfast. Took the 'Seaford

Head fair' - H.G. <sup>& Bond</sup> descended, c. 4; poor eggs

compared with 1905 - at mid-day. Cheale drove, and assisted with the ropes.

On Saturday afternoon and Sunday found one egg in a hole near the top of 3<sup>rd</sup> Sister, and revisited the 'Belle Toute' and 'Inaccessible' pairs putting the birds off each. Beachy Head was visited without result.

1906

April 12<sup>th</sup> - 13<sup>th</sup>; Builth

'Woodlark

Plover.

Arrived Builth Road 5.30 a.m. on 12<sup>th</sup>, and at 8 a.m. found Woodlark, 4 eggs, quite cold, in a brakefern studded field (same birds as 1905) about 1½ m. from Builth Wells on the Garth Road - the birds were nowhere to be seen. Revisited at 6 a.m. on 13<sup>th</sup>, when a mole had bored through the bottom of the nest, taken one egg completely, and a 2<sup>nd</sup> egg was found a few inches down the hole - it is pretty certain (now) that the nest, when found, had been deserted, the eggs remaining being slightly incubated.

Spent from 10 a.m. onwards on 12<sup>th</sup> & 13<sup>th</sup> on the hill behind Llanelwedd Church - found one nest, 3 eggs, slightly incubated, at 3 p.m. of 13<sup>th</sup>, on the highest slope of <sup>below the wood</sup> the hill, facing South; the nest was open, among grass and brake-fern.

During the two days, the pair were twice seen together - the cock bird sang on a tree and two small bushes, each about 100 yds. from the nest. On one occasion, the cock on leaving its singing perch, was at once joined by the female from the direction of the nest. The nests

1906

C.A.M.

1906

1906

April 12<sup>th</sup> - 13<sup>th</sup> ; Builth cont.

in both cases were of dried grass  
of fine quality, and deep.

A second pair was undoubtedly  
breeding (R.G. found well fledged young in this nest a week later)  
on the same hill, on  
the central or bottom part of  
the highest slope, below the wood.

Left Builth for Llanrhaiadr, 6.30 pm. of 13<sup>th</sup>.

April 14<sup>th</sup> ; Llanrhaiadr.

C.H.

'Peregrine

^ Raven

Stock Dove

<sup>1</sup> Took 4 eggs, very large and well  
marked, from an old Raven's  
nest on the rocks around  
Pistyll Rhaeadr - only the falcon  
was seen - lowered to the nest  
by two Welshmen.

<sup>2</sup> Found the nest, 'whitewashed', which  
we had sought on Mar. 10<sup>th</sup> - both  
Ravens made considerable  
demonstration, and had young  
undoubtedly.

April 15<sup>th</sup> - 16<sup>th</sup> ; Clive

C.H.

'Snipe

Plover

<sup>1</sup> Nest, 4 eggs, on the marshes beyond  
Hodnet - too early a little for  
the majority.

1906

April 13<sup>th</sup> - 16<sup>th</sup>; Dulverton.

- <sup>1</sup> Buzzard
- <sup>2</sup> Tawny Owl
- <sup>3</sup> Grey Wagtail
- <sup>4</sup> Heron
- <sup>5</sup> Nuthatch
- <sup>6</sup> Goldcrest
- <sup>7</sup> Dipper
- Stock Dove
- Long-tailed Tit
- <sup>8</sup> Carrion Crow

<sup>1</sup> Nest building, between Torr Steps and Dulverton - not uncommon in the Exe valley above Dulverton, and up the Barle.

<sup>2</sup> Eight nests found, mostly very hard sat, viz. cl. 3, r. hard sat; cl. 3, fresh; 3 young; 3 2's, sat; cl. 1, sat; 1 egg, incomplete, fresh.

<sup>3</sup> Five nests, only one complete clutch, all up the Exe.

<sup>4</sup> Herony, nearly against the road, between Dulverton station and town.

<sup>5</sup> Nuthatch building.

<sup>6</sup> H.G. took clutch 6; many large young.

<sup>7</sup> Fifteen nests found, mostly incomplete clutches.

1906

$$\left\{ \begin{array}{l} \text{H.G.} \\ \text{D.H.M.} \end{array} \right.$$

April 19<sup>th</sup>; Hendon

H.G.; Alec. Jones; D.H.M.

20<sup>th</sup>; Buckhurst Hill

D.H.M. cl. 6.

" ; Harold Wood

D.H.M. cl. 5, very large.

21<sup>st</sup>; East Hendon

D.H.M. cl. 5.

Carrion Crow.

<sup>1</sup> Nests abundant; Alec. took cl. 5, very large eggs; D.H.M. 3 cl. 5 each.

1906

1906

April 28<sup>#</sup>; Epping Forrest

D.H.M.

' Hawfinch

^ Tawny Owl

Carrion Crow

' One nest with 1 egg near "Wake Arms Inn";  
(late taken with cl. 4)  
 about a dozen nests building  
 around the same neighbourhood,  
 along the Epping and Waltham  
 Abbey Roads.

2 Young, in a deep hole in a beech,  
 near "Wake Arms" in the Epping  
 direction.

April 29<sup>#</sup>; n<sup>r</sup> Warley.

D.H.M.

' Kestrel

' 6 eggs, in a pollard willow, 6 ft. from  
 the ground, along the brook side  
 below Buntington Church, n<sup>r</sup> Inglesstone,  
 quite fresh — 5 eggs, incubation  
 just commenced, in a small  
 wood n<sup>r</sup> Billericay.

April 28<sup>#</sup>-29<sup>#</sup>; Haslemere.

C.H.M.

(Dartford Warbler)

No nest found — one pair and two  
 odd birds seen within a few  
 hundred yards of each other,  
 just below the spot, where the  
 nest was taken 1905. Snow and  
 hail fell at intervals.

May 1<sup>st</sup>; Warley

D.H.M.

Redshank.

5 nests found, 4, 4, 3, 3, 1 respectively, in marshy  
 meadows n<sup>r</sup> East Horndon.

1906.

May 3<sup>rd</sup>; Richmond Park.  
Great Crested Grebe,  
Wheatear,  
Ruthatch.

1906.

{ Alec Jones  
 } Stuart Jones  
 ) D.H.W.  
 ) C.S.M.

Great Crested Grebe: The nest, which had been watched for some time previously by Alec Jones, was built upon the island in the Upper Penn Pool, on the submerged bough of a Willow tree, and floated upon the water. At dark Stanley swam out to it, and secured the clutch of 5 eggs, nearly fresh. The geese, and other wild fowl made much noise in the still night air, but fortunately we were not disturbed.

Wheatear: Nest, previously found by Stuart Jones, was built in a disused rabbit-hole, about a foot in, and contained 6 eggs. The hen bird had to be lifted off the nest.

Ruthatch: Nest was built in a hole in an old oak tree, and was well clayed up. The bird refused for a long while to quit the nest. After drilling with a brace and bit we found the nest contained only 4 eggs, very small and poorly marked, and slightly incubated.

May 1<sup>st</sup>; n<sup>r</sup> Warley.  
Redshank.

D.H.W.

Redshank: Five nests found in two low, marshy fields near Blinder ditch, and several more pairs of birds seen. The nests were well concealed in tussocks of grass, and contained 4, 4, 3, 3, 1 eggs. Some were well incubated, & several other eggs were found destroyed by crows, which abounded.